

























| Special extrusions | Type | | Weight [kg/m] | I _{x,y} [cm ⁴] | W _{x,y} [cm ³] | Page |
|---------------------------------|------------|---|---------------|-------------------------------------|-------------------------------------|------|
| Wall rail 18x50 | Type A19-9 |  | 0.9 | - | - | 115 |
| Slot extrusion 16x40 | Type C08-1 |  | 1.0 | - | - | 115 |
| Slot extrusion 20x80 | Type C08-2 |  | 2.4 | 54.49, 3.97 | 13.62, 3.97 | 116 |
| Slot extrusion 20x120 | Type C08-3 |  | 4.4 | 177.95, 6.31 | 29.66, 6.31 | 116 |
| Triple channel extrusion 30x15 | Type B05-1 |  | 0.3 | - | - | 117 |
| 19" auxiliary extrusion | Type A05-2 |  | 0.5 | - | - | 118 |
| 19" auxiliary extrusion | Type B05-2 |  | 0.4 | - | - | 118 |
| Box frame extrusion 30x95 | Type B01-7 |  | 1.8 | 55.99, 7.94 | 11.79, 5.29 | 119 |
| Runner extrusion 30x50 | Type B10-9 |  | 1.1 | 9.17, 4.51 | 3.37, 2.98 | 119 |
| Frame extrusion 30x15 | Type B15-1 |  | 0.7 | 1.4, 0.71 | 0.933, 0.473 | 120 |
| 30 mm base octagonal extrusion | Type B15-3 |  | 2.8 | 51.01 | 14.09 | 120 |
| Double clamping extrusion 16x50 | Type A05-7 |  | 0.46 | - | - | 121 |






Special extrusions

| Special extrusions | Type | | Weight [kg/m] | I _{x,y} [cm ⁴] | W _{x,y} [cm ³] | Page |
|--------------------------------|------------|---|---------------|-------------------------------------|-------------------------------------|------|
| Panel clamp extrusions 13.5x50 | Type A05-8 |  | 0.3 | - | - | 121 |
| Panel clamp extrusions 13.6x40 | Type C05-8 |  | 0.3 | - | - | 121 |
| U-clamping extrusion 8x13.5 | Type B19-6 |  | 0.1 | - | - | 122 |
| Support extrusion 11x30.5 | Type B19-7 |  | 0.4 | - | - | 122 |
| Aluminium guide extrusion | Type B19-8 |  | 0.2 | - | - | 122 |
| Angle extrusion 38x38 | Type A30-0 |  | 1.5 | - | - | 123 |
| Angle extrusion 31x31 | Type C30-0 |  | 0.9 | - | - | 123 |
| Angle extrusion 60x60 | Type A30-2 |  | 2.8 | - | - | 123 |
| Angle extrusion 70x70 | Type C30-3 |  | 2.5 | - | - | 123 |
| Angle extrusion 85x85 | Type E30-3 |  | 3.7 | - | - | 124 |
| Angle extrusion 100x100 | Type A30-3 |  | 6.4 | - | - | 124 |
| Angle extrusion 60x120 | Type A47-0 |  | 4.6 | - | - | 125 |

| Special extrusions | Type | | Weight [kg/m] | I _{x,y} [cm ⁴] | W _{x,y} [cm ³] | Page |
|------------------------------|------------|---|---------------|-------------------------------------|-------------------------------------|------|
| Angle extrusion 25x35 | Type A30-5 |  | 0.7 | - | - | 125 |
| Hinge extrusion 54x17 | Type A60-6 |  | 1.3 | - | - | 126 |
| Hinge extrusion 44x17 | Type C60-6 |  | 1.1 | - | - | 126 |
| Hinge extrusion 57.5x8 | Type A60-1 |  | 1.3 | - | - | 126 |
| Hinge extrusion 47.5x8 | Type B60-1 |  | 1.1 | - | - | 126 |
| Hinge extrusion 47x4 | Type A60-2 |  | 0.5 | - | - | 126 |
| Hinge extrusion 37x4 | Type B60-2 |  | 0.4 | - | - | 126 |
| Hinge extrusion 36.5x20 | Type A60-5 |  | 1.2 | - | - | 126 |
| Handle strip extrusion 30x35 | Type B65-5 |  | 0.6 | - | - | 127 |
| Base 50 block extrusion | Type A34-0 |  | 1.6 | - | - | 127 |
| Base 40 block extrusion | Type C34-0 |  | 1.3 | - | - | 127 |
| Base 30 block extrusion | Type B34-0 |  | 0.5 | - | - | 127 |

Technical data

Special extrusions

| Special extrusions | Type | | Weight [kg/m] | I _{x,y} [cm ⁴] | W _{x,y} [cm ³] | Page |
|--------------------------------|------------|---|---------------|-------------------------------------|-------------------------------------|------|
| Rectangular tube 55x55 | Type A19-5 |  | 1.3 | 21.58 | 7.85 | 128 |
| Rectangular tube 50x50 | Type E19-5 |  | 1.0 | 14.75 | 5.9 | 128 |
| Rectangular tube 45x45 | Type C19-5 |  | 1.0 | 11.4 | 5.06 | 128 |
| Rectangular tube 35x35 | Type B19-5 |  | 0.7 | 4.8 | 2.74 | 128 |
| Counterweight extrusion 50x100 | Type A19-2 |  | 3.3 | 41.82, 16.43 | 8.36, 6.57 | 129 |