


Strut profile 30x30 2NVS



Product description

[Quick & Easy profile finishes](#)

[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)


Dimensions

Strut profile 30x30 2NVS

30x30 2NVS

$A = 3,5 \text{ cm}^2$
 $I_x = 3,1 \text{ cm}^4$
 $I_y = 3,1 \text{ cm}^4$
 $W_x = 2,0 \text{ cm}^3$
 $W_y = 2,0 \text{ cm}^3$
 $I_t = 1,7 \text{ cm}^4$
 $W_t = 1,1 \text{ cm}^3$
 $m = 1,0 \text{ kg/m}$

19181



Ordering codes

The following caps with holes are needed:

30x30 signal gray (1 item)

30x30 black (1 item)

The following cover caps are needed:

30x30 signal gray (1 item)

30x30 black (1 item)

	L			ESD	No.
	mm				
Strut profile 30x30 2NVS	50 ... 6070		1		3842992398
Strut profile 30x30 2NVS, 20xL=5600mm	6070	20			3842506949
Strut profile 30x30 2NVS Q&E	50 ... 6070		1		3842993706
Cover cap 30x30, signal gray			100		3842548744
Cover cap 30x30, black			20		3842548745
Cover cap with hole 30x30, signal gray			20		3842548774
Cover cap with hole 30x30, black			20		3842548775
	6070		1		3842557219

Quick&Easy profile finishes

Standard profile finishes (note minimum length)		M8 / D7.8 / D11 / DB11
Customized profile finishes ($L_{max} = 4900\text{ mm}$) ¹⁾		DI / DIS / MT / MTS / MI / MIS / DG

1) $DG_{max} = 45^\circ$; $L_{min1} / L_{min2} = 352 / 404\text{ mm}$