



Strut profile 90x90L



Product description

[Quick & Easy profile finishes](#)


[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 90x90L



Ordering codes

The following cover caps are needed:

90x90L signal gray (1 item)

90x90L black (1 item)

	L			ESD	No.
	mm				
Strut profile 90x90L	50 ... 6070		1		3842992415
Strut profile 90x90L M12/-	60 ... 6000		1		3842992416
Strut profile 90x90L M12/M12	110 ... 6000		1		3842992422
Strut profile 90x90L M12/D17	90 ... 6000		1		3842992423
Strut profile 90x90L D17/-	60 ... 6000		1		3842992417
Strut profile 90x90L D17/D17	80 ... 6000	1			3842992420
Strut profile 90x90L D17/D17V	80 ... 6000		1		3842992421
Strut profile 90x90L LF/LF	80 ... 6000		1		3842992418
Strut profile 90x90L LF/M12	90 ... 6000		1		3842992419
Strut profile 90x90L, 6xL=6070mm	6070	6			3842553613
Strut profile 90x90L Q&E	50 ... 6070		1		3842993680
Cover cap 90x90L, signal gray			20		3842548758
Cover cap 90x90L, black			20		3842548759
Strut profile 90x90L	6070		1		3842553620

Standard profile finishing Lmax = 6000 mm (note minimum length)		M12 / D9.8 / D17 / DB17
Customized profile finishes (L _{max} = 4900 mm) ¹⁾		DI / DIS / MT / MTS / MI / MIS / DG

1) DG_{max} = 45°; L_{min1} / L_{min2} = 456 / 612 mm